PRODUCT SHEET

WALLS AND CEILINGS · SUSPENDED CEILING

AMF TOPIQ® Prime 15

Knauf · rock wool



FAMILY **Suspended ceiling**	BRAND **Knauf**
COLLECTION **rock wool**	THICKNESS **15mm**

AMF TOPIQ® Prime is a very lightweight rock wool tile offering a modern, clean surface

SPECIFICATIONS

Performance specifications

- EN ISO 354 αw= 0.95 in accordance with EN ISO 11654 - Class A NRC = 0.90 in accordance with ASTM C 423
- EN ISO 10848-2 Dn,f,w= 24dB in accordance with EN ISO 717-1
- EN ISO 10140-2 Rw= 13dB in accordance with EN ISO 717-1
- Euroclass A1 in accordance with EN 13501-1 RUS KM2 (G1,V1,D1,T1) in accordance with 123-FZ

Manufacturer documents

- Fiche technique AMF TOPIQ Prime (FR)
- Déclaration de performance TOPIQ Prime (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page


Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/faux-plafond/amf-topiq-prime-15/

PRODUCT SHEET

WALLS AND CEILINGS · SUSPENDED CEILING

AMF Thermatex STAR

Knauf · mineral wool



FAMILY **Suspended ceiling**	BRAND **Knauf**
COLLECTION **mineral wool**	THICKNESS **15mm**

> AMF THERMATEX® Star is a ceiling tile with fine irregular perforation on a smooth surface. Its aesthetics allow it to blend perfectly into modern architecture

SPECIFICATIONS

Performance specifications

- EN ISO 354 αw= 0.60 in accordance with EN ISO 11654 - Class C NRC=0.060 in accordance with ASTM C 423
- EN ISO 10848-2 Dn,f,w= 34dB in accordance with EN ISO 717-1
- EN ISO 10140-2 Rw= 21dB in accordance with EN ISO 717-1
- Euroclass A2-s1,d0 in accordance with EN 13501-1 RUS KM1 (G1,V1,D1,T1) in accordance with 123-FZ

Manufacturer documents

- Fiche technique AMF Thermatex Star (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/faux-plafond/amf-thermatex-star/

PRODUCT SHEET

WALLS AND CEILINGS · SUSPENDED CEILING

Thermatex Feinfresko

Knauf · mineral wool



FAMILY **Suspended ceiling**	BRAND **Knauf**
COLLECTION **mineral wool**	THICKNESS **15mm**

AMF THERMATEX® Feinfresko is a 15 mm mineral acoustic ceiling tile, available in Board and Tegular 24 finishes. With its textured surface, it offers good Class C sound absorption performance and is accredited Eurofins Indoor Air Comfort® GOLD. This makes AMF THERMATEX® Feinfresko a sensible choice for retail outlets, offices and production environments. AMF THERMATEX® Feinfresko is made of certified bio-soluble mineral wool and has an Environmental Product Declaration (EPD)

SPECIFICATIONS

Performance specifications

Good sound absorption (0.60(H) αw and 0.60 NRC)

- Excellent reaction to fire (A2-s1, d0)
- Exceptional air permeability (PM1 (≤ 30 m^3/hm^2))
- Ideal for retail outlets, offices and production environments

Manufacturer documents

- Fiche technique AMF Thermatex Feinfresko (FR)
- Déclaration de performance Thermatex Feinfresko (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/faux-plafond/thermatex-feinfresko/