PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4401 Quartz

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

> High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4401-quartz/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4407 SPEARMINT

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

> High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4407-spearmint/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4409 MATTE GREY

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4409-matte-grey/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4410 Violet Grey

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

> High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4410-violet-grey/


ODECOR

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4417 AQUAMARINE

GERFLOR · Mipolam Affinity



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4417-aquamarine/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4426 BALTIC

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

> High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4426-baltic/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4446 Blue Ocean

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4446-blue-ocean/

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4447 Light Emerald

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

> High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4447-light-emerald/

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4481 ROSASPINA

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4481-rosaspina/

ODECOR

PRODUCT SHEET



ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

4496 Light Sapphire

GERFLOR · Mipolam Affinity

FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Affinity

High-performance homogeneous floor covering suitable for high-traffic areas, available in single-layer format Durable, timeless design High traffic resistance High stain resistance Also available in tiles

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	2000-N
LRV	56.3

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Affinity (FR)
- Fiche technique Mipolam Affinity (EN)
- Déclaration de performance Mipolam Affinity (MULTI)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/4496-light-sapphire/