
ODECOR

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

0350 Light Grey

GERFLOR · Mipolam Elegance EL5



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Elegance EL5

> Conforme à la norme EN 1081 Forte résistance au trafic Forte résistance aux taches et aux agressions chimiques Version conductrice EL5 : résistance électrique $10^4 \leq Rt \leq 10^6$ Ω (EN 1081), potentiel de charge < 2 kV, classe 34-43, Bfl-s1

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	3005-B20G
LRV	35.5

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Elegance EL5 (conducteur) (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/0350-light-grey/


ODECOR

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

0352 Grey

GERFLOR · Mipolam Elegance EL5



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Elegance EL5

> Conforme à la norme EN 1081 Forte résistance au trafic Forte résistance aux taches et aux agressions chimiques Version conductrice EL5 : résistance électrique $10^4 \leq Rt \leq 10^6$ Ω (EN 1081), potentiel de charge < 2 kV, classe 34-43, Bfl-s1

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	3005-B20G
LRV	35.5

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Elegance EL5 (conducteur) (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/0352-grey/

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

0353 Beige

GERFLOR · Mipolam Elegance EL5



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Elegance EL5

> Conforme à la norme EN 1081 Forte résistance au trafic Forte résistance aux taches et aux agressions chimiques Version conductrice EL5 : résistance électrique $10^4 \leq Rt \leq 10^6$ Ω (EN 1081), potentiel de charge < 2 kV, classe 34-43, Bfl-s1

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	3005-B20G
LRV	35.5

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Elegance EL5 (conducteur) (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/0353-beige/


ODECOR

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

0354 Blue

GERFLOR · Mipolam Elegance EL5



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Elegance EL5

> Conforme à la norme EN 1081 Forte résistance au trafic Forte résistance aux taches et aux agressions chimiques Version conductrice EL5 : résistance électrique $10^4 \leq Rt \leq 10^6$ Ω (EN 1081), potentiel de charge < 2 kV, classe 34-43, Bfl-s1

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	3005-B20G
LRV	35.5

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Elegance EL5 (conducteur) (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/0354-blue/


ODECOR

PRODUCT SHEET

ANTIBACTERIAL COVERINGS · ANTIBACTERIAL FLOORING

0355 Green

GERFLOR · Mipolam Elegance EL5



FAMILY
Antibacterial flooring

BRAND
GERFLOR

COLLECTION
Mipolam Elegance EL5

> Conforme à la norme EN 1081 Forte résistance au trafic Forte résistance aux taches et aux agressions chimiques Version conductrice EL5 : résistance électrique $10^4 \leq Rt \leq 10^6$ Ω (EN 1081), potentiel de charge < 2 kV, classe 34-43, Bfl-s1

SPECIFICATIONS

Surface treatment	Evercare™
Total thickness	2.00 mm
Wear layer thickness	2.00 mm
Installation type	Glue-down installation
Format	2 m roll
Roll width	2 m
Roll length	20.0 m
NCS	3005-B20G
LRV	35.5

Floors – Mipolam Homogeneous

- Patented Evercare™ surface treatment ⇒ easy maintenance, no waxing, and high stain resistance
- Palette of 50 colours to create your atmosphere
- Modern surface with a matt finish
- TVOC after 28 days < 10µg/m3 ⇒ indoor air quality
- Also available as tiles (minimum 500 m² per colour)

Manufacturer documents

- Fiche technique Mipolam Elegance EL5 (conducteur) (FR)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers
contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 01/11/2026. · https://odecor-dz.com/en/produits/sol-antibacterien/0355-green/