


PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne Havanna naturel aspect raboté

Classic · CLM1656

FAMILY	Laminate flooring
COLLECTION	Classic
THICKNESS	8mm
REFERENCE	CLM1656

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant

Dimensions

Length	1200 mm
Width	190 mm
Thickness	8 mm
m^2/box	1.596
Planks/box	7

Manufacturer documents

- Fiche technique Quick-Step Classic (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-havanna-naturel-aspect-rabote-clm1656/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne classique clair

Classic · CLM5787

FAMILY **Laminate flooring**	COLLECTION **Classic**
THICKNESS **8mm**	REFERENCE **CLM5787**

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant

Dimensions

Length	1200 mm
Width	190 mm
Thickness	8 mm
m²/box	1.596
Planks/box	7

Manufacturer documents

- Fiche technique Quick-Step Classic (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-classique-clair-clm5787/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Medium brown teak

Classic · CLM5803

FAMILY	Laminate flooring
COLLECTION	Classic
THICKNESS	8mm
REFERENCE	CLM5803

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant

Dimensions

Length	1200 mm
Width	190 mm
Thickness	8 mm
m^2/box	1.596
Planks/box	7

Manufacturer documents

- Fiche technique Quick-Step Classic (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/medium-brown-teak-clm5803/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Peanut brown oak

Classic · CLM5800

FAMILY	Laminate flooring
COLLECTION	Classic
THICKNESS	8mm
REFERENCE	CLM5800

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant

Dimensions

Length	1200 mm
Width	190 mm
Thickness	8 mm
m^2/box	1.596
Planks/box	7

Manufacturer documents

- Fiche technique Quick-Step Classic (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/peanut-brown-oak-clm5800/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne Newcastle gris

Eligna · EL3580

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL3580

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-newcastle-gris-el3580/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne blanc clair

Eligna · EL1491

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL1491

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-blanc-clair-ue1491/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne patrimoine beige

Eligna · EL3574

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL3574

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-patrimoine-beige-el3574/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne verni naturel

Eligna · EL896

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL896

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/noyer-huile-el1043/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne vintage verni foncé

Eligna · EL1001

FAMILY **Laminate flooring**	COLLECTION **Eligna**
THICKNESS **8mm**	REFERENCE **EL1001**

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department **+213 550 28 23 39**

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-vintage-verni-fonce-qs-1001/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne vintage verni naturel

Eligna · EL995

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL995

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-vintage-verni-naturel-qs-995/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Merbau

Eligna · EL996

FAMILY	Laminate flooring
COLLECTION	Eligna
THICKNESS	8mm
REFERENCE	EL996

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Eligna (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/merbau-el996/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne classique brun

Impressive · IM1849

FAMILY	Laminate flooring
COLLECTION	Impressive
THICKNESS	8mm
REFERENCE	IM1849

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Impressive (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-classique-brun-im1849/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne classique naturel

Impressive · IM1848

FAMILY	Laminate flooring
COLLECTION	Impressive
THICKNESS	8mm
REFERENCE	IM1848

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Impressive (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers


contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-classique-naturel-im1848/



PRODUCT SHEET

FLOOR COVERINGS · LAMINATE FLOORING

Chêne tendre clair

Impressive · IM1854

FAMILY	Laminate flooring
COLLECTION	Impressive
THICKNESS	8mm
REFERENCE	IM1854

> Easy to install (glueless clip system) Scratch and impact resistant Easy maintenance (a simple damp mop is enough) Cheaper than solid parquet Available in a wide range of styles

SPECIFICATIONS

Laminate flooring composition

Laminate flooring consists of several layers:

- Top layer (Overlay): A transparent layer of resin or hard plastic that protects the floor from scratches, stains and everyday wear. It is often water-resistant, which makes cleaning easier
- Decorative layer: A high-resolution printed image that imitates wood, stone or other natural materials. This layer gives the floor its realistic appearance
- Support panel (HDF): A high-density fibreboard (HDF) panel that gives the floor its stability and structural strength. It is also moisture-resistant
- Counterbalance: A bottom layer that balances the panel and improves its stability. It can also provide sound insulation

Dimensions

Length	1380 mm
Width	156 mm
Thickness	8 mm
m^2/box	1.722
Planks/box	8

Manufacturer documents

- Fiche technique Quick-Step Impressive (EN)
- Déclaration de performance stratifiés Quick-Step (EN)
- Guide de pose stratifiés Quick-Step (EN)

Advice, quotes, supply and installation

Showroom: Aïssat Idir, Petit Staouéli road, Chéraga 16014, Algiers

contact@odecor-dz.com

+213 770 52 41 12

Sales department +213 550 28 23 39

Photos, documents and quote
Scan to open the online page

Characteristics come from the manufacturer's documentation; they are indicative and may change. Document issued on 31/10/2026. · https://odecor-dz.com/en/produits/sol-stratifie/chene-tendre-clair-im1854/